

HPV Test (for Women) results



SAMPLE REPORT

Test code	4010070090	Sample taken	28-09-2026
Laboratory	KRO	Received in lab	29-09-2026
		Report date	01-10-2026 09:00 UTC
Sex	Female	Date of birth	01-01-2000

All 14 results are negative.

Test	Result	Specimen	Assessment
HPV 16 (high risk)	Not detected	Swab	Normal
HPV 18 (high risk)	Not detected	Swab	Normal
HPV 31 (high risk)	Not detected	Swab	Normal
HPV 33 (high risk)	Not detected	Swab	Normal
HPV 35 (high risk)	Not detected	Swab	Normal
HPV 39 (high risk)	Not detected	Swab	Normal
HPV 45 (high risk)	Not detected	Swab	Normal
HPV 51 (high risk)	Not detected	Swab	Normal
HPV 52 (high risk)	Not detected	Swab	Normal
HPV 56 (high risk)	Not detected	Swab	Normal
HPV 58 (high risk)	Not detected	Swab	Normal
HPV 59 (high risk)	Not detected	Swab	Normal
HPV 66 (high risk)	Not detected	Swab	Normal
HPV 68 (high risk)	Not detected	Swab	Normal

The vaginal swab was analysed by PCR for the 14 high-risk HPV types. No high-risk HPV types were detected in this sample.